



भाकृअनुप-केन्द्रीय आलू अनुसंधान संस्थान
क्षेत्रीय केंद्र - मोदीपुरम, मेरठ (उ.प्र.)

ICAR-Central Potato Research Institute
Regional Station, Modipuram-250110, Meerut (UP)



Tele.: 0121-2575497 (O) Fax: 0121-2576584; Email: cpric.modipuram@gmail.com; cprirs.modipuram@icar.gov.in
Website: http://cpri.icar.gov.in

पत्रांक: एफ0 5-10/निविदा/ Type-V/2023-24/

दिनांक: 30 दिसम्बर, 2023

निविदा आमंत्रण सूचना

निदेशक, केन्द्रीय आलू अनुसंधान संस्थान, शिमला द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए अध्यक्ष, केन्द्रीय आलू अनुसंधान संस्थान, क्षेत्रीय केन्द्र, मोदीपुरम मेरठ निम्नलिखित कार्य हेतु CPWD/PWD/ or other Central/State Govt./Semi Govt. Agencies से पंजीकृत ठेकेदारों से ऑनलाईन निविदाएं आमन्त्रित करते हैं:-

Tender Number	2023_DARE_788119_1
Description of work	Repair and replacement of old sanitary fitting and white washing of Type-V Quarter at ICAR-CPRI, Regional Station, Modipuram -250 110, Meerut
Type of Tender	Two bid System
Date of release of Tender through E-procurement portal	30/12/2023 :: 03:00 PM
Bid submission start date online	30/12/2023 :: 03:30 PM
Last Date & time for submission of online bid	20/01/2024:: 05:00 PM
Date & time for opening of technical bid	22/01/2024 :: 11:00 AM
Bid Validity	90 days from the date of Technical Bid Opening
EMD	Rs. 24,835/-
Documents required	<ol style="list-style-type: none">1. Bid Security Declaration Form, (Annexure-I)2. Valid license of the Firm/ Contractor/Bidder,3. PAN Card/ Aadhar Card,4. Income Tax return of last three years,5. GST registration certificate/ GST return Certificate,6. Experience of having successfully completed similar works during last three years (from Government organization such as CPWD/PWD/autonomous bodies etc.7. Scope of Work (Annexure -II)8. Check List (Annexure-III)
Address for communication	The Head, ICAR- Central Potato Research Institute, Regional Station, Modipuram-250110, Meerut.
Estimated Cost	Rs. 4,96,695/-

Terms & Conditions

1. The bids are invited through e-procurement, hence offline tenders will not be considered.
2. The rates are to be quoted to have a minimum validity for a period upto 90 days and bidder should submit their rates also in the proforma given in scope of work (**Annexure-II**) with financial bid. The rates are to be quoted with cost and supply of all materials at site i.e. ICAR-CPRI-RS, Modipuram, including all taxes, GST, Service Tax, Transportation of materials and labour charges etc., for each item of work.
3. In case of any cutting and over writing it must be counter signed by the tenderer.
4. The quality of the material used in the work can be used only after checking of material by the designated officer.
5. The bidders are strongly advised to visit the site before quoting the rates.
6. The successful bidder will have to deposit **10%** of the quoted rate as **Performance Security** FDR/BG for one year. Performance Security will have to be deposited within 15 days from the date of work order.
7. Penalty for delayed Completion of the works: The Head, ICAR-CPRI-RS, Modipuram reserves the right to levy penalty @ of 0.5% of order value per week of delay beyond the scheduled date completion/execution of the order successfully, subject to maximum of 10% of the order value. The Head, ICAR-CPRI-RS, Modipuram reserves the right to cancel the order in case the delay in more than 4 weeks.
8. **The supplies/related spare parts/items to be fixed shall be in the compliance to the specifications mentioned in Scope of Work of the tender and shall be of the latest technology, best quality and ISO recognized brand and commissioning to the satisfaction of ICAR-CPRI-RS, Modipuram.**
9. **Any optional accessories/tooling, besides the standard equipment recommended for the better performance of the equipment, if offered, be provided with their full technical details including their use and advantage in a separate sheet with the tender documents along with service plan.**
10. After completion of the work if within six months, any defect, or damage or poor workmanship is noticed; the same shall be rectified by the contractor within 10 days.
11. If any damage occurs to ICAR-CPRI-RS, Modipuram property during execution of work including dismantling the same will be borne/ repaired by the tendered. For this reason, the tenderer is advised to inspect the work site before submitting the tender.
12. The financial bids will be opened of only those bidder who found technically qualify. The financial bid will be evaluated on the basis of prices quoted. The contract will be awarded to lowest evaluated bidder. No price escalation will be permitted.
13. If more than one bidder happens to quote the same lowest price, the firm have been more experience will be awarded the work and if experience of both firm remains same, ICAR-CPRI-RS, Modipuram reserves the right ot decide the criteria and further process for awarding the contract, decision of ICAR-CPRI-RS, Modipuram shall be final for awarding the contract.
14. At any time prior the deadline for submission of bids. ICAR-CPRI-RS, Modipuram may, for any reason, whether on its own initiative or in response to clarification request by a prospective bidder, modify the bid document.

15. The tenderer will be abide by the contract labour act, minimum wages act and other labour related acts, applicable during execution of the work.
16. The workers will be personnel of the tenderer and ICAR-CPRI-RS, Modipuram will have no responsibility whatsoever to them. Any liability that may arise due to death/injury to any of the workers while executing the work will be borne by the tenderer.
17. Payment will be made after 100% completion of the work on actual measured quantity basis and acceptance by ICAR-CPRI-RS, Modipuram through NEFT/RTGS/e-Payment. The necessary deductions Viz. income Tax, Cess on I.T., TDS on GST, Labour cess, if applicable, and such other taxes levied by government from time to time will be deducted from the work bill.
18. No advance or part payment will be made for execution of work
19. Form C & D will not be issued by the office.
- 20. The work should be completed on or before 30 days from the date of work order to the satisfaction of the authority concern.**
21. The contractor should be furnish/enclosed the copy of following documents: scan copy of Bid Security declaration form (**Annexure-I**), Scope of work (**Annexure-II**) and Check List (**Annexure-III**) valid license of the firm/ contractor, PAN Card/ Aadhar Card, Income Tax return of last three years, GST registration certificate/ GST return Certificate, Experience of having successfully completed similar works during last three years (from Government organization such as CPWD/PWD/autonomous bodies etc.

धरोहर राशि (Earnest Money Deposit):

22. The EMD of Rs. 24835/- (Rupees Twenty Four Thousand Eight Hundred Thirty Five only) in the shape of bank draft in favour of “CPRIC, Modipuram, payable at Palhera, Modipuram” which should reach in the office of ICAR-CPRI, Regional Station, Modipuram, Meerut before opening of bids and scanned copy of the same must also be uploaded on the CPP portal failing which the tender will be rejected straightway.
23. The EMD of successful bidders will be refunded only after award of Work order while EMD of unsuccessful bidders will be released within 30 days after the award of the Work Order.
24. No interest is bearable on the EMD.
25. No request for transfer of any previous deposited Earnest Money will be entertained.
26. In case of any dispute on execution or other issues related to this work, the decision of the Director, ICAR-CPRI, Shimla, will be final and binding on both the party.
27. The Head, ICAR-CPRI-RS, Modipuram reserve the right to reject any or all bids without assigning any reason thereof.

-sd-

Store In-Charge

DRAFT SPECIMEN

DECLARATION OF THE BIDDER
(To be given on Firms/Agency Letter Head)

I/We.....am/are the authorized nominee(s) of the firm
hereby submit bid to the ICAR-CPRI-RS, Modipuram for

1. I / We have carefully read all the general and specific terms and conditions of the tender and I solemnly declare that the same are acceptable to me/us and binding on me/us.
2. I/We agreed for the work mentioned in bid documents and accordingly have quoted the rates inclusive of all taxes, freight, etc as given in Annexure -II.
3. I/We accept that the right to accept or reject whole or part of the tender without assigning any reason is reserved with the Director, ICAR-CPRI, Shimla 171 001 (H.P.). The decision of the Director, ICAR-CPRI, Shimla will be final and shall be binding on me/us.
4. I/We also agree that The Director, ICAR-CPRI, Shimla/ buyer has full rights to open/consider the commercial bid only, if The Director, ICAR-CPRI, Shimla /buyer is satisfied with contents in Technical bid. The decision of the Director, ICAR-CPRI, Shimla regarding this will be final and binding on me/us.
5. I am to state that the information provided in the bid is true and correct.
6. I / We may be punished as per law for any wrong information, misleading facts provided in the bid besides rejection of my / our bid.
7. In case of any dispute, the Jurisdiction will be Meerut only.

Signature of bidder

Date:

Name of bidder: :-----

Full address of the bidder::-----

With seal & stamp:
(Attach identity card Xerox)

Phone No. /Mobile No. :-----

Scope of Work

Name of work:- Repair and replacement of old sanitary fittings and white washing of Type- V quarter at CPRIC Modipuram, Meerut

ESTIMATE AS PER D.S.R.

SN	Item of work	Quantity	Unit	Rate (Rs)
1	Providing and laying cement concrete in retaining walls, return walls, walls (any thick ness) including attached pilasters, columns, piers, abutments, pillars, post, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floors etc . up to floor five level, excluding the cost of centering and shuttering and finishing.	1.00 m ³	cum	
2	Providing and fixing 1 st quality ceramic glazed wall tiles conforming to IS-15622 (thickness to be specified by the manufacturer) of approved make ,in all colours , shades except burgundy ,bottle green , black of any sizes as per approved by the Engineer-in-charge in skirting , risers of steps and dadoes over 12 mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointing with grey cement slurry @3.3 kg per sqm ,including pointing in white cement mixed with pigment of matching shade complete.	60.00m ²	sqm	
3	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS:3564, embossed on body, door weight up to 36 kg to 80 kg and door width from 701 mm to 1000 mm) with double speed adjustment with necessary accessories and screws etc. complete.	3 Nos	each	
4	Providing and fixing 1 st quality ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1 st quality conforming to IS-15622 of approved make in all colours such as white, Ivory, Grey, Fume Red brown laid on 20 mm cement mortar 1:4 (1 cement :4 coarse sand) jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigments complete.	10.50 m ²	sqm	
5	12 mm cement plaster of mix 1:6 (1cement :6 fine sand)	5.00 m ²	sqm	
6	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface (A) Water thinnable cement primer	550.00 m ²	sqm	
7	Providing and applying white cement based putty of average thickness 1mm, of approved brand and manufacture over the plastered wall surface to prepare the surface even and smooth complete.	550.00 m ²	sqm	
8	Removing dry or oil bound distemper, water proofing cement paints and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	1075.00m ²	sqm	
9	Wall painting with plastic emulsion paint of approved	550.00 m ²	sqm	

	brand and manufacture to give an even shade (A) One or more coats on old work			
10	Painting with synthetic enamel paint of approved brand and manufactures of required colour to give an even shade. (A) One or more coats on old work	175.00m2	sqm	
11	Finishing walls with Acrylic Smooth exterior paints of required shade(A)Old work (one or more coat applied @1.67 ltr/10 sqm) on existing cement paint surface	525.00 m2	sqm	
12	Renewing glass panes with putty and nails wherever necessary including racking out the old putty.(A) Float glass panes of normal thickness 4 mm (weight not less than 10 kg/sqm)	2.00 m2	sqm	
13	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead (A) For thickness of tiles 10 mm to 25 mm	75.00m2	sqm	
14	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 meters lead as per direction of Engineer in charge (A) Nominal concrete 1:3:6 or richer mix	1.0 m3	cum	
15	Providing and fixing water closet squatting pan (Indian type W.C. Pan) with 100 mm sand cast iron P or S trap, 10 litre low level white P.V.C. flushing cistern including flush pipe with manually controlled device (handle lever) conforming to IS:7231 with all fittings and fixtures complete including cutting and cutting and making good the walls and floors wherever required (A) White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rest	1 No	each	
16	Providing and fixing white vitreous China pedestal type water closet (European type W.C. pan) with seat and lid , 10 litre low level white PVC flushing cistern including flush pipe with manually controlled device (handle lever) conforming to IS:7231 with all fittings and fixtures complete including cutting and making good the walls and floors wherever required(A)W.C. pan with ISI marked white solid plastic seat and lid.	2 Nos	each	
17	Providing and fixing wash basin with C.I. brackets 15 mm C.P brass pillar taps 32 mm C.P . brass waste of standard pattern, including painting of fittings and brackets , cutting and making good the walls wherever require (A) White Vitreous China wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	4 Nos	each	
18	Providing and fixing 8 mm dia C.P./S.S . Jet with flexible tube up to 1.0 meter long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer-in- charge.	2 Nos	each	
19	Providing and fixing 100 mm sand cast iron grating for gully trap.	4 Nos	each	
20	Providing and fixing 600 x 450 mm bevelled edge of superior glass of quality complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers etc. complete	4 Nos	each	
21	Providing and fixing 600 x 120x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc. complete	4 Nos	each	
22	Providing and fixing toilet paper holder (A) C.P. brass	2 Nos	each	

23	Providing and fixing soil, waste and vent pipes			
23A	100 mm dia, Sand cast iron S&S pipes as per IS:1729	12.00 m	each	
23B	75 mm dia, Sand cast iron S&S pipes as per IS:1729	12.00m	each	
24	Providing and fixing bend of required degree with access door, insertion rubber washers 3 mm thick bolt and nuts complete			
24A	100 mm dia, Sand cast iron S&S pipes as per IS:1729	4 Nos	each	
24B	75 mm dia, Sand cast iron S&S pipes as per IS:1729	4 Nos	each	
25	Providing and fixing collar			
25A	100 mm dia, Sand cast iron S&S pipes as per IS:1729	4 Nos	each	
25B	75 mm dia, Sand cast iron S&S pipes as per IS:1729	4 Nos	each	
26	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter			
26A	100 mm	16 Nos	each	
26B	75 mm	16 Nos	each	
27	Providing and fixing PTMT towel rail complete with bracket fixed to wooden cleat with CP brass screws with concealed fittings arrangement of approved quality and colour (A) 600 mm long towel rail total length of 645 mm, width 78 mm and effective height of 88 mm , weighing not less than 190 gms.	4 Nos	each	
28	Providing and fixing trap of selfcleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors			
28A	100 mm inlet and 100 mm outlet, Sand cast iron S&S pipes as per IS:3989	2 No	each	
28B	100 mm inlet and 75 mm outlet, Sand cast iron S&S pipes as per IS:3989	2 No	each	
29	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anticorrosive bitumastic paint cutting and making good the wall (A) 15 mm nominal bore	18 mtr	mtr	
30	Providing and fixing unplasticised PVC connection pipes with brass unions (A) 45 cm length, 15 mm nominal bore	18 Nos	each	
31	Providing and fixing C.P. shower rose with 15 or 20 mm inlet (A) 150 mm diameter.	3 Nos	each	
32	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. (A) 15 mm nominal bore.	6 Nos	each	
33	Providing and fixing C.P. brass angle valve for basin mixture and gysers points of approved quality conforming to IS:8931 (A) 15 mm nominal bore.	18 Nos	each	
34	Providing and fixing C.P. brass extension nipples (size 15 mm x 50 mm) of approved make and quality as per directions of Engineer- in- charge	18 Nos	each	
		Total Rs.		
		Taxes/GST if any Rs.		
		Grand Total Rs.		

Annexure-III

CHECKLIST MUST BE FILLED BY THE TENDERER

The documents enclosed with tender form are as listed below. Any omission makes the tender liable for rejection. You must also quote the relevant page number. You may attach other information also but state in the list after numbering the same pages.

Sl. No.	Details	Whether/Attached	Page No.
1	Firm Registration Certificate	Yes/No	
2	PAN Card/ Aadhar Card,	Yes/No	
3	Income Tax return of last three years,	Yes/No	
4	GST (Service tax) registration certificate/ GST return Certificate,	Yes/No	
5	Experience of having successfully completed similar works during last three years (from Government organization such as CPWD/PWD/autonomous bodies etc.	Yes/No	
6	Bid Security Declaration Form		

The above details have been checked and found correct.

Place: Date:

Date :

(Official Seal)

Signature of bidder