



भाकृअनुप-केंद्रीय आलू अनुसंधान संस्थान

क्षेत्रीय केंद्र - मोदीपुरम, मेरठ (उ.प्र.)

ICAR-Central Potato Research Institute

Regional Station, Modipuram-250110, Meerut (UP)

Tele.: 0121-2575497 (O) Fax: 0121-2576584; Email: cpri.modipuram@gmail.com; cpri.rs.modipuram@icar.gov.in

Website: http://cpri.icar.gov.in



पत्रांक: एफ0 5-10/निविदा/2022/

दिनांक : 22 अगस्त, 2022

### निविदा आमंत्रण सूचना

निदेशक/परिषद द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए संयुक्त निदेशक केन्द्रीय आलू अनुसंधान संस्थान, क्षेत्रीय केन्द्र, मोदीपुरम मेरठ निम्न कार्य हेतु CPWD/PWD/ or other Central/State Govt./Semi Govt. Agencies से पंजीकृत ठेकेदारों से ऑनलाईन निविदाएं आमन्त्रित करते हैं:-

Tender Number	2022_DARE_707832_1
Description of work	Renovation of Guest House toilets and flooring (Ground floor only) etc at CPRI-RS, Modipuram, Meerut ((Annexure-II))
Type of Tender	Two bid System
Date of release of Tender through E-procurement portal	22/08/2022 :: 06:30PM
Bid submission start date online	22/08/2022 :: 06:30 PM
Last Date & time for submission of online bid	12/09/2022 :: 03:00 PM
Date & time for opening of technical bid	13/09/2022 :: 03:00 PM
EMD	Bid declaration is required (Annexure-I)
Bid Validity	90 days from the date of Technical Bid Opening
Documents required	<ol style="list-style-type: none"><li>1. scan copy of EMD/Bid Security declaration form,</li><li>2. valid license of the firm/ contractor,</li><li>3. PAN Card/ Aadhar Card,</li><li>4. Income Tax return of last three years,</li><li>5. GST registration certificate/ GST return Certificate,</li><li>6. Experience of having successfully completed similar works during last three years (from Government organization such as CPWD/PWD/autonomous bodies etc.</li><li>7. Scope of Work (Annexure -II)</li><li>8. Check List (Annexure-III)</li></ol>
Address for communication	The Joint Director, ICAR- Central Potato Research Institute, Regional Station, Modipuram-250110, Meerut.
Estimated Cost	Rs. 9,98,702/- (As per DSR-2019)

## Terms & Conditions

1. The bids are invited through e-procurement, hence offline tenders will not be considered.
2. The rates are to be quoted to have a minimum validity for a period upto 90 days and bidder should submit their rates also in the proforma given in scope of work (**Annexure-II**) with financial bid. The rates are to be quoted with cost and supply of all materials at site i.e. ICAR-CPRI-RS, Modipuram, including all taxes, Service Tax, Transportation of materials and labour charges etc., for each item of work.
3. In case of any cutting and over writing it must be counter signed by the tenderer.
4. The quality of the material used in the work can be used only after checking of material by the designated officer.
5. Performance Security (PS) (Defective Liability Period (DLP): The successful bidder will be required to furnish the Performance Security (PS) in INR equivalent to 3% of the order value within 7 days of receipt of Work Order. The Performance Security (PS) should be submitted in the form of Demand Draft drawn in favour of Senior Scientist, CPRS, Modipuram (State Bank of India, Palhera Branch, Modipuram, IFSC Code. SBIN0003067) or through online mode in **Account No. 10172900089, (Senior Scientist, CPRS, Modipuram), State Bank of India, Palhera Branch, Modipuram, IFSC Code. SBIN0003067.** The Performance Security (PS) will be retained for a period of one year from the date of the completion of the work.
6. Penalty for delayed Completion of the works: The Joint Director, ICAR-CPRI-RS, Modipuram reserves the right to levy penalty @ of 0.5% of order value per week of delay beyond the scheduled date completion/execution of the order successfully, subject to maximum of 10% of the order value. The Joint Director, ICAR-CPRI-RS, Modipuram reserves the right to cancel the order in case the delay in more than 4 weeks.
7. After completion of the work if within one year, any defect, or damage or poor workmanship is noticed; the same shall be rectified by the contractor within 10 days failing which performance security shall be forfeited.
8. If any damage occurs to ICAR-CPRI-RS, Modipuram property during execution of work including dismantling the same will be borne/ repaired by the tendered. For this reason, the tenderer is advised to inspect the work site before submitting the tender.
9. The financial bids will be opened of only those bidder who found technically qualify. The financial bid will be evaluated on the basis of prices quoted. The contract will be awarded to lowest evaluated bidder. No price escalation will be permitted.
10. If more than one bidder happens to quote the same lowest price, the firm have been more experience will be awarded the work and if experience of both firm remains same, ICAR-CPRI-RS, Modipuram reserves the right ot decide the criteria and further process for awarding the contract, decision of ICAR-CPRI-RS, Modipuram shall be final for awarding the contract.
11. At any time prior the deadline for submission of bids. ICAR-CPRI-RS, Modipuram may, for any reason, whether on its own initiative or in response to clarification request by a prospective bidder, modify the bid document.
12. The tenderer will be abide by the contract labour act, minimum wages act and other labour related acts, applicable during execution of the work.



13. The workers will be personnel of the tenderer and ICAR-CPRI-RS, Modipuram will have no responsibility whatsoever to them. Any liability that may arise due to death/injury to any of the workers while executing the work will be borne by the tenderer.
14. Payment will be made after 100% completion of the work on actual measured quantity basis and acceptance by ICAR-CPRI-RS, Modipuram through NEFT/RTGS/e-Payment. The necessary deductions Viz. income Tax, Cess on I.T., TDS on GST, Labour cess, if applicable, and such other taxes levied by government from time to time will be deducted from the work bill.
15. No advance or part payment will be made for execution of work
16. Form C & D will not be issued by the office.
17. **The work should be completed on or before 45 days from the date of work order to the satisfaction of the authority concern.**
18. For inspection of site Sh. Harvinder Singh, Senior Technical Officer or Assistant Admin. Officer may please be contacted between 10 am to 4 pm on all working days.
19. The contractor should be furnish/enclosed the copy of following documents: scan copy of EMD/Bid Security declaration form (**Annexure-I**), Scope of work (**Annexure-II**) and Check List (**Annexure-III**) valid license of the firm/ contractor, PAN Card/ Aadhar Card, Income Tax return of last three years, GST registration certificate/ GST return Certificate, Experience of having successfully completed similar works during last three years (from Government organization such as CPWD/PWD/autonomous bodies etc.
20. In case of any dispute on execution or other issues related to this work, the decision of the Director, ICAR-CPRI, Shimla, will be final and binding on both the party.
21. The Joint Director, ICAR-CPRI-RS, Modipuram reserve the right to reject any or all bids without assigning any reason thereof.

-sd-

Assistant Administrative Officer

**DRAFT SPECIMEN**

**DECLARATION OF THE BIDDER**  
**(To be given on Firms/Agency Letter Head)**

I/We.....am/are the authorized nominee(s) of the firm .....  
hereby submit bid to the ICAR-CPRI-RS, Modipuram for .....

1. I / We have carefully read all the general and specific terms and conditions of the tender and I solemnly declare that the same are acceptable to me/us and binding on me/us.
2. I/We agreed for the work mentioned in bid documents and accordingly have quoted the rates inclusive of all taxes, freight, etc as given in Annexure -II.
3. I/We accept that the right to accept or reject whole or part of the tender without assigning any reason is reserved with the Director, ICAR-CPRI, Shimla 171 001 (H.P.). The decision of the Director, ICAR-CPRI, Shimla will be final and shall be binding on me/us.
4. I/We also agree that The Director, ICAR-CPRI, Shimla / buyer has full rights to open/consider the commercial bid only, if The Director, ICAR-CPRI, Shimla /buyer is satisfied with contents in Technical bid. The decision of the Director, ICAR-CPRI, Shimla regarding this will be final and binding on me/us.
5. I am to state that the information provided in the bid is true and correct.
6. I / We may be punished as per law for any wrong information, misleading facts provided in the bid besides rejection of my / our bid.
7. In case of any dispute, the Jurisdiction will be Meerut only.

**Signature of bidder**

Place:

Date:

Name of bidder: :-----

Capacity in which signed : -----

Full address of the bidder::-----

With seal & stamp:  
(Attach identity card Xerox)

Phone No. /Mobile No. :-----



## Scope of Work

**Name of work:- Renovation of Guest House toilets and flooring (Ground floor only) etc. at CPRI-RS Modipuram, Meerut.**

Sl.N	Item of work	Quantity	Amount(Rs)
1	Providing and laying cement concrete in retaining walls, return walls, walls ( any thickness ) including attached pilasters, columns, piers, abutments, pillars, post, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floors etc . up to floor five level, excluding the cost of centering and shuttering and finishing.	2.50 m3	
2	Providing and fixing 1 <sup>st</sup> quality ceramic glazed wall tiles conforming to IS-15622 (thickness to be specified by the manufacturer) of approved make ,in all colours , shades except burgundy ,bottle green , black of any sizes as per approved by the Engineer-in-charge in skirting ,risers of steps and dadoes over 12 mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointing with grey cement slurry @3.3 kg per sqm ,including pointing in white cement mixed with pigment of matching shade complete.	160.00 m2	
3	Providing and fixing fly proof galvanised M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete. (A) with 12 mm mild steel U beading	16.00 m2	
4	Providing and fixing 1 <sup>st</sup> quality ceramicglazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1 <sup>st</sup> quality conforming to IS-15622 of approved make in all colours such as white, Ivory, Grey, Fume Red brown laid on 20 mm cement mortar 1:4 (1 cement :4 coarse sand) jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigments complete.	25.00 m2	
5	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer)with water absorption less than 0.08% and conforming to IS- 15622 of approved make in all colours and shades, laid on 20 mm cement mortar 1:4 (1 cement :4 coarse sand) jointing with grey cement slurry @ 3.3 kg/sqm including grouting the joints with white cement and matching pigments complete. (A) Size of tiles 600x600 mm	280.00 m2	
6	12 mm cement plaster of mix 1:6 (1cement :6 fine sand)	15.00 m2	
7	Providing and applying plaster of paris putty of 2mm thickness over plastered surface to prepare the surface even and smooth complete.	25.00 m2	
8	Removing dry or oil bound distemper, water proofing	175.00m2	

	cement paints and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.		
9	Painting with synthetic enamel paint of approved brand and manufactures of required colour to give an even shade. (A) One or more coats on old work	650.00m2	
10	Distempering with 1 <sup>st</sup> quality acrylic distemper (ready mixed) having VOC content less than 50 gram/ litre of approved manufacturer of required shade and colour complete as per manufactures specifications. (A) one or more coats on old work.	1800.00 m2	
11	Hacking of CC flooring including cleaning the surface etc. complete as per direction of Engineer- in- charge	280.00 m2	
12	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead (AO For thickness of tiles 10 mm to 25 mm	185.00 m2	
13	Dismantling old plaster or skirting racking out the joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	15.00 m2	
14	Providing and fixing white vitreous China pedestal type water closet ( European type W.C. pan) with seat and lid , 10 litre low level white PVC flushing cistern including flush pipe with manually controlled device (handle lever) conforming to IS:7231 with all fittings and fixtures complete including cutting and making good the walls and floors wherever required(A)W.C. pan with ISI marked white solid plastic seat and lid.	8 Nos	
15	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps , 32 mm C.P. brass waste of pattern, including painting of fittings and brackets , cutting and making good the walls wherever required (A)white vitreous China wash basin size 630 x 450 mm with a pair of 15 mm C.P. brass tap.	8 Nos	
16	Providing and fixing 8 mm dia C.P./S.S . Jet with flexible tube up to 1.0 meter long with S.S. triangular plate to European type W.C. of quality and make.as approved by Engineer-in- charge.	8 Nos	
17	Providing and fixing PVC waste pipe for sink or wash basin including waste fittings complete. (A)Flexible pipe 32 mm dia	8 Nos	
18	Providing and fixing 100 mm sand cast iron grating for gully trap.	16 Nos	
19	Providing and fixing 600 x 450 mm bevelled edge of superior glass of quality complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers etc. complete	8 Nos	
20	Providing and fixing 600 x 120x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc. complete	8 Nos	
21	Providing and fixing toilet paper holder (A) C.P. brass	8 Nos	
22	Providing and fixing PTMT towel rail complete with bracket fixed to wooden cleat with CP brass screws with concealed	8 Nos	



	fittings arrangement of approved quality and colour (A) 600 mm long towel rail total length of 645 mm, width 78 mm and effective height of 88 mm , weighing not less than 190 gms.		
23	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anticorrosive bitumastic paint cutting and making good the wall (A)-15 mm nominal bore	8 mtr	
24	Providing and fixing unplasticised PVC connection pipes with brass unions (A) 45 cm length, 15 mm nominal bore	40 Nos	
25	Providing and fixing C.P. shower rose with 15 or 20 mm inlet (A) 150 mm diameter.	8 Nos	
26	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. (A) 15 mm nominal bore.	32 Nos	
27	Providing and fixing C.P. brass angle valve for basin mixture and geysers points of approved quality conforming to IS:8931 (A) 15 mm nominal bore.	64 Nos	
28	Providing and fixing C.P. brass extension nipples (size 15 mm x 50 mm) of approved make and quality as per directions of Engineer- in- charge	64 Nos	
		<b>Total Rs.</b>	
		<b>Tax if any</b>	
		<b>Grand Total</b>	

**CHECKLIST MUST BE FILLED BY THE TENDERER**

The documents enclosed with tender form are as listed below. Any omission makes the tender liable for rejection. You must also quote the relevant page number. You may attach other information also but state in the list after numbering the same pages.

<b>Sl. No.</b>	<b>Details</b>	<b>Whether/Attached</b>	<b>Page No.</b>
1	Firm Registration Certificate	Yes/No	
2	Company profile	Yes/No	
3	Documents in support to reveal capacity to supply the material	Yes/No	
4	identity Card and address proof	Yes/No	
5	GST (Service tax) registration/ PAN Registration	Yes/No	

The above details have been checked and found correct.

Place: Date:

Date :

(Official Seal)

Signature of bidder